



















































































**PARTI DI RICAMBIO PROFILI
SECTIONS SPARE PARTS**

CODICE CODE	DESCRIZIONE DESCRIPTION		
SG400110	Profilo Gola "B" Sostegno Cinghie ZNC L=6000 mm S=1,2 mm "U" Shaped Section Belt Support GALV. "B" Groove L=6000 A=21mm B=8mm C=10,5mm D=10,6mm E=1,2mm F=13mm G=28mm	 	
SG400110/A	Profilo Gola "B" Sostegno Cinghie INOX L=6000 mm S=1,2 mm "U" Shaped Section Belt Support INOX "B" Groove L=6000 mm A=21mm B=8mm C=10,5mm D=10,6mm E=1,2mm F=13mm G=28mm		
SG400110/AC0	Profilo Gola "B" Sostegno Cinghie INOX L=6000 mm S=1,2 mm (pack1200m) "B" Shaped Section INOX L=6000mm S=1,2mm (pack 1200m) A=21mm B=8mm C=10,5mm D=10,6mm E=1,2mm F=13mm G=28mm		
SG400110C0	Profilo Gola "B" Sostegno Cinghie ZNC L=6000 mm S=1,2 mm (pack1200m) "B" Shaped Section GALV. L=6000mm S=1,2mm (pack 1200m) A=21mm B=8mm C=10,5mm D=10,6mm E=1,2mm F=13mm G=28mm		
SG400111	Profilo Gola "B" Sostegno Cinghie ZNC L=3000 mm S=1,2 mm "U" Shaped Section Belt Support GALV. "B" Groove L=3000 A=21mm B=8mm C=10,5mm D=10,6mm E=1,2mm F=13mm G=28mm		
SG400111/A	Profilo Gola "B" Sostegno Cinghie INOX L=3000 mm S=1,2 mm "U" Shaped Section Belt Support INOX "B" Groove L=3000 mm A=21mm B=8mm C=10,5mm D=10,6mm E=1,2mm F=13mm G=28mm		
SG400111/AC0	Profilo Gola "B" Sostegno Cinghie INOX L=3000 mm S=1,2 mm (pack 600m) "B" Shaped Section INOX L=3000mm S=1,2mm (pack 600m) A=21mm B=8mm C=10,5mm D=10,6mm E=1,2mm F=13mm G=28mm		
SG400111C0	Profilo Gola "B" Sostegno Cinghie ZNC L=3000 mm S=1,2 mm (pack 600m) "B" Shaped Section GALV. L=3000mm S=1,2mm (pack 600m) A=21mm B=8mm C=10,5mm D=10,6mm E=1,2mm F=13mm G=28mm		
SG400108	Profilo Gola "C" Sostegno Cinghie ZNC L=6000 mm S=1,2 mm "U" Shaped Section Belt Support GALV. "C" Groove L=6000 A=21mm B=8mm C=13,5mm D=10,6mm E=1,2mm F=13mm G=28mm		
SG400108/A	Profilo Gola "C" Sostegno Cinghie INOX L=6000 mm S=1,2 mm "U" Shaped Section Belt Support INOX "C" Groove L=6000 mm A=21mm B=8mm C=13,5mm D=10,6mm E=1,2mm F=13mm G=28mm		
SG400108/AC0	Profilo Gola "C" Sostegno Cinghie INOX L=6000 mm S=1,2 mm (pack1200m) "C" Shaped Section INOX L=6000mm S=1,2mm (pack 1200m) A=21mm B=8mm C=13,5mm D=10,6mm E=1,2mm F=13mm G=28mm		
SG400108C0	Profilo Gola "C" Sostegno Cinghie ZNC L=6000 mm S=1,2 mm (pack1200m) "C" Shaped Section GALV. L=6000mm S=1,2mm (pack 1200m) A=21mm B=8mm C=13,5mm D=10,6mm E=1,2mm F=13mm G=28mm		

SG400109	<p>Profilo Gola "C" Sostegno Cinghie ZNC L=3000 mm S=1,2 mm "U" Shaped Section Belt Support GALV. "C" Groove L=3000 A=21mm B=8mm C=13,5mm D=10,6mm E=1,2mm F=13mm G=28mm</p>		
SG400109/A	<p>Profilo Gola "C" Sostegno Cinghie INOX L=3000 mm S=1,2 mm "U" Shaped Section Belt Support INOX "C" Groove L=3000 mm A=21mm B=8mm C=13,5mm D=10,6mm E=1,2mm F=13mm G=28mm</p>		
SG400109/AC0	<p>Profilo Gola "C" Sostegno Cinghie INOX L=3000 mm S=1,2 mm (pack 600m) "C" Shaped Section INOX L=3000mm S=1,2mm (pack 600m) A=21mm B=8mm C=13,5mm D=10,6mm E=1,2mm F=13mm G=28mm</p>		
SG400109C0	<p>Profilo Gola "C" Sostegno Cinghie ZNC L=3000 mm S=1,2 mm (pack 600m) "C" Shaped Section GALV. L=3000mm S=1,2mm (pack 600m) A=21mm B=8mm C=13,5mm D=10,6mm E=1,2mm F=13mm G=28mm</p>		
SG020005001	<p>Guida per Trasportatori Gola "C" L=6000 mm Guide for Conveyor "C" Groove L=6000 mm A=25,5mm B=8mm C=12,5mm</p>		
SG020005001/1	<p>Guida per Trasportatori Gola "C" L=3000 mm Guide for Conveyor "C" Groove L=3000 mm A=25,5mm B=8mm C=12,5mm</p>		
SG020005004	<p>Guida per Trasportatori Gola "B" L=6000 mm Guide for Conveyor "B" Groove L=6000 mm A=25,5mm B=8mm C=12,5mm D=28mm</p>		
SG020005004/1	<p>Guida per Trasportatori Gola "B" L=3000 mm Guide for Conveyor "B" Groove L=3000 mm A=25,5mm B=8mm C=12,5mm D=28mm</p>		
SG020005002	<p>Guida x Trasportatori Gola Tonda D12 L=6m Guide for Conveyor Rounded Groove D.12 L=6m A=25,5mm B=6,5mm C=12,5mm D=28mm</p>		
SG020005002/1	<p>Guida x Trasportatori Gola Tonda D12 L=3m Guide for Conveyor Rounded Groove D.12 L=3m A=25,5mm B=6,5mm C=12,5mm D=28mm</p>		
SG020005005	<p>Guida x Trasportatori Gola Tonda D10 L=6m Guide for Conveyor Rounded Groove D.10 L=6m A=25,5mm B=5,5mm C=12,5mm D=28mm</p>		
SG020005005/1	<p>Guida x Trasportatori Gola Tonda D10 L=3m Guide for Conveyor Rounded Groove D.10 L=3m A=25,5mm B=5,5mm C=12,5mm D=28mm</p>		
SG020005006	<p>Guida x Trasportatori Gola Tonda D8 L=6m Guide for Conveyor Rounded Groove D.8 L=6m A=25,5mm B=4,5mm C=12,5mm D=28mm</p>		
SG020005006/1	<p>Guida x Trasportatori Gola Tonda D8 L=3m Guide for Conveyor Rounded Groove D.8 L=3m A=25,5mm B=4,5mm C=12,5mm D=28mm</p>		
SG020005003	<p>Guida x Trasportatori Gola Piana L=6m Guide for Conveyor - Flat GTC Groove L=6m A=25,5mm B=7,8mm C=12,5mm D=28mm</p>		
SG020005003/1	<p>Guida x Trasportatori Gola Piana L=3m Guide for Conveyor - Flat GTC Groove L=3m A=25,5mm B=7,8mm C=12,5mm D=28mm</p>		
SG400037	<p>Profilo Sup.Guida Gola Sez."C" L=6m Polietil.Verde Alta Densita' Upper Section "C" Groove L=6m E=8mm B=25,5mm</p>		
SG400037/1	<p>Profilo Sup.Guida Gola Sez."C" L=3m Polietil.Verde Alta Densita' Upper Section "C" Groove L=3m E=8mm B=25,5mm</p>		

SG400051	Profilo Sup.Guida Gola Sez."B" L=6m Polietil.Verde Alta Densita' Upper Section "B" Groove L=6m E=8mm B=25,5mm		
SG400051/1	Profilo Sup.Guida Gola Sez."B" L=m3 Polietil.Verde Alta Densita' Upper Section "B" Groove L=3m E=8mm B=25,5mm		
SG400038	Profilo Sup.Guida Gola Tonda L=6m Polietilene Verde Alta Densita' Upper Section Rounded Groove L=6m E=6,5mm B=25,5mm		
SG400038/1	Profilo Sup.Guida Gola Tonda D.12 L=m3 Polietilene Verde Alta Densita' Upper Section Rounded Groove D.12 L=3m E=6,5mm B=25,5mm		
SG400055	Profilo Sup.Guida Gola Tonda D.10 L=6m Polietilene Verde Alta Densita' Upper Section Rounded Groove D.10 L=6m E=5,5mm B=25,5mm		
SG400055/1	Profilo Sup.Guida Gola Tonda D.10 L=m3 Polietilene Verde Alta Densita' Upper Section Rounded Groove D.10 L=3m E=5,5mm B=25,5mm		
SG400056	Profilo Sup.Guida Gola Tonda D.8 L=6m Polietilene Verde Alta Densita' Upper Section Rounded Groove D.8 L=6m E=4,5mm B=25,5mm		
SG400056/1	Profilo Sup.Guida Gola Tonda D.8 L=m3 Polietilene Verde Alta Densita' Upper Section Rounded Groove D.8 L=3m E=4,5mm B=25,5mm		
SG400039	Profilo Sup.Guida Piana L=6m Polietilene Verde Alta Densita' Upper Section GTC Flat Surface L=6m E=7,8mm B=25,5mm		
SG400039/3000	Profilo Sup.Guida Piana L=m3 Polietilene Verde Alta Densita' Upper Section GTC Flat Surface L=3m E=7,8mm B=25,5mm		
SG400036	Profilo x GTC Alluminio L=6m (PE6507) Anodizzato Argento Lower Section Guide L=6m A=12,5mm B=28mm C=14,5mm D=21,4mm		
SG400036/1	Profilo INF.x Guida-Cinghia L=3m Anodizzato Argento Lower Section Guide L=3m A=12,5mm B=28mm C=14,5mm D=21,4mm		
SG020017001	Pinza Attacco 10-10-150 Presa GTC Joint Plier 10-10-150 for "T" Guide A=65,5mm B=50mm C=11mm D=10x10mm E=25,7mm F=166,5mm G=30mm		
SG400242/A	Profilo Superiore Gola B Diamond Plus L=3m Upper Section Diamond Plus B Groove L=3m A=12,5mm B=8mm C=28mm D=10,5mm E=22mm F=24,9mm		
SG400243/A	Profilo Superiore Gola C Diamond Plus L=3m Upper Section Diamond Plus C Groove L=3m A=12,5mm B=8mm C=28mm D=13,5mm E=22mm F=24,9mm		
SG400241	Profilo 28-18,75 in Alluminio per Diamond Plus L=3m Anodizzato Anodized Aluminum Section 28-18,75 for Diamond Plus Section L=3m A=18,755mm B=10,5mm C=12,3mm D=25,4mm E=28mm F=22,5mm G=4mm		
SG200848/A	PROFILO PER CURVE D. 12 CON TAGLIO DIAMOND PLUS L=3000 SECTION FOR CURVES D.12 W/CUT DIAMOND PLUS L=3000		

SG200836	Profilo Gola Tonda 4-C3 Polizene 1000 L=2m Section Round Groove 4-C3 Polizene 1000 A=14mm B=10mm C=2mm D=4mm E=20mm L=2000mm		
SG200837	Profilo Gola Tonda 5-C3 Polizene 1000 L=2m Section Round Groove 5-C3 Polizene 1000 A=14mm B=10mm C=2,5mm D=5mm E=20mm L=2000mm		
SG200838	Profilo Gola Tonda 6-C3 Polizene 1000 L=2m Section Round Groove 6-C3 Polizene 1000 A=14mm B=10mm C=3mm D=6mm E=20mm L=2000mm		
SG200839	Profilo Gola Tonda 15-C5 Polizene 1000 L=2m Section Round Groove 15-C5 Polizene 1000 A=24mm B=20mm C=7,5mm D=15mm E=25mm L=2000mm		
SG200840	Profilo Gola Tonda 20-C5 Polizene 1000 L=2m Section Round Groove 20-C5 Polizene 1000 A=24mm B=20mm C=10mm D=20mm E=28mm L=2000mm		
SG200841	Profilo Metallico C3 Inox AISI304 L2000 Metallic Section C3 Inox AISI304 L2000 A=10mm B=10mm C=20mm D=1,5mm L=2000mm		
SG200842	Profilo Metallico C3 Zincato L2000 Metallic Section C3 Galv L2000 A=10mm B=10mm C=20mm D=1,5mm L=2000mm		
SG200843	Profilo Metallico C5 Inox AISI304 L2000 Metallic Section C5 Inox AISI304 L2000 A=12mm B=14mm C=28mm D=2mm L=2000mm		
SG200844	Profilo Metallico C5 Zincato L2000 Metallic Section C5 Galv. L2000 A=12mm B=14mm C=28mm D=2mm L=2000mm		
SG020008001	Guida A "T" 26x38 L=6000 mm "T" Guide 26X38 L=6000 mm A=26mm B=38mm C=5mm		
SG020008001/3000	Guida A "T" 26x38 L=3000 mm "T" Guide 26X38 L=3000 mm A=26mm B=38mm C=5mm		
SG400112	Profilo Piano 38x14x3 x Prof.A "T" PE-HD Verde L=6030 mm (P0126VE6030) Flat Section for "T" Guide PE-HD Green L=6030 mm (P0126VE6030) A=26mm B=38mm C=5mm		
SG400112/3000	Profilo Piano 38x14x3 x Prof.A "T" PE-HD Verde L=3000 mm Flat Section 38X14X3 for "T" Guide PE-HD Green L=3000 mm A=26mm B=38mm C=5mm		
SG020015001	Pinza Attacco 10-10-150 Presa Guida "T" Joint Plier 10-10-150 for "T" Guide A=69mm B=36mm C=23,5mm D=10x10mm E=32mm F=21,5mm G=178mm		
SG101925	Leva M/S 230-40 M/S Lever 230-40		
SG400009	Trafilato Quadro 10x10x1,5 L=6050mm Alluminio Anodizzato Argento Square Section 10X10X1,5 (in Bars 6m) A=10mm B=10mm C=1,5mm		
SG400009/0590	Trafilato Quadro 10x10x1,5 L= 590mm Square Section 10X10X1,5 L= 590mm A=10mm B=10mm C=1,5mm		
SG400009/3000	Trafilato Quadro 10x10x1,5 L=3000mm Square Section 10X10X1,5 L=3000mm A=10mm B=10mm C=1,5mm		
SG020004006	Terminale 10X10 x Profilo Quadro End for 10X10 Square Section A=7mm B=15mm C=10mm		

SG020004004	<p>Terminale Doppio x Profilo Quadro 10X10 Double End for 10X10 Square Section A=30mm B=3,5mm C=11,5mm D=20mm E=10mm</p>		
SG400010	<p>Trafilato Rettangolare 10x15x1,5 L=6050mm Alluminio Anodizzato Argento Rectangular Section 10X15X1,5 (in Bars 6m) A=10mm B=15mm C=1,5mm</p>		
SG400010/0590	<p>Trafilato Rettangolare 10x15x1,5 L= 760mm Rectangular Section 10X15x1,5 L= 760mm A=10mm B=15mm C=1,5mm</p>		
SG400010/3000	<p>Trafilato Rettangolare 10x15x1,5 L=3000mm Rectangular Section 10X15x1,5 L=3000mm A=10mm B=15mm C=1,5mm</p>		
SG020004007	<p>Terminale 10X15 x Profilo Rettangolare End for 10X15 Rectangular Section A=7mm B=15mm C=10mm D=15mm</p>		
SG020004001	<p>Terminale Doppio x Profilo Rettangolare 10X15 Double End for 10X15 Rectangular Section A=30mm B=4mm C=12mm D=20mm E=15mm</p>		
SG400164	<p>Estruso "H" 14.2-18 Alluminio L=6000 (Z13797) Anodizzato Argento "H" Section 14,2-18 (in Bars 6m) A=14,2mm B=10,4mm C=6,2mm D=18mm E=2mm F=6mm G=2mm L=6000mm</p>		
SG020004005	<p>Terminale 14,2-18 x Profilo "H" End for "H" Section 14,2-18 A=14,2mm B=10,4mm C=2mm D=18mm</p>		
SG060013001C0	<p>Terminale con Rullino End Piece with Roll (pack50) A=10mm B=28mm C=34mm D=D10mm E=40mm F=45mm G=D6,5mm H=15° I=D12mm</p>		
SG060014001C0	<p>Terminale Universale "U" Shaped Section Terminal (PAU-GTC) (pack500) A=28mm B=13,5mm C=8mm D=6mm E=10mm F=26mm G=D6,3mm H=15mm I=20mm L=30mm M=25,5mm</p>		
SG060003023	<p>Terminale per Profilo Gola "B" e "C" B/C Section End Piece A=22mm B=20mm C=25,5mm D=9,6mm E=25,5mm F=28,5mm</p>		
SG02001046	<p>Bloccetto Ferma Dado 20x25 M6 Block 20X25 for Nut M 6 A=25mm B=20mm C=9,5mm D=10mm E=6,5mm</p>		
SG02001047	<p>Bloccetto Ferma Dado 20x25 M8 Block 20X25 for Nut M 8 A=25mm B=20mm C=9,5mm D=13mm E=8,5mm</p>		
SG02001048	<p>Bloccetto Ferma Dado 20x25 M10 Block 20X25 for Nut M10 A=25mm B=20mm C=9,5mm D=17mm E=10,5mm</p>		
SG020001041 /1C0	<p>Bulloncino per Profilato ad "U" (M8x32) Pack of "U" Shaped Section Bolt (M8 x32) (1000pcs) A=32mm B=9mm C=M8 D=24mm</p>		
SG020001041 /1C1	<p>Bulloncino per Profilato ad "U" (M8x32) "U" Shaped Section Bolt (M8x32) (pack 250) A=32mm B=9mm C=M8 D=24mm</p>	